

Customer:  
OROS Research

EA Sample ID: 26EA0403-019  
Sample Name: N-Acetyl Semax, N-Acetyl Selank 15mg Blend  
Sample Type: Powder  
Batch/Lot: OR-LPNASMSL15-326-B2

Date Received:  
04/03/2026  
Date Completed:  
04/09/2026



ETHOS  
ANALYTICS

## CERTIFICATE OF ANALYSIS

### Summary of Results

Analysis Type	Method	Date Tested	Status
Peptides	HPLC	04/09/2026	Complete
Bacterial Endotoxins	USP <85>	04/09/2026	Complete
Heavy Metals	ICP-MS	04/07/2026	Pass
Microbiological	Petrifilm/qPCR	04/08/2026	Pass



Serving Size: N/A

### Peptide Analysis

Analyte	Result	Specification	LOD
N-Acetyl Semax/N-Acetyl Selank	9.17/6.12mg/vial	9/6mg/vial	0.1%
<b>Identity of the analytes was confirmed by retention time concordance with a certified reference standard, per USP &lt;621&gt;.</b>			
Chromatographic Purity	>99%	>99%	0.1%
Bacterial Endotoxins (Gel-Clot: 1:10 Dilution)	<1.25 EU/ml	<5 EU/ml	$\lambda =$ 0.125 EU/mL

NOTES: Injectable peptides may include acceptable salts, sugars, or buffering agents added to improve solubility and stability. These excipients are non-chromophoric, typically not detected by HPLC, and are not considered impurities. Two vials were tested for variability, and the average result is reported above.

LOD = LIMIT OF DETECTION; LOQ = LIMIT OF QUANTIFICATION



Ethos Analytics Laboratory  
3020 E Camelback Rd STE 397  
Phoenix, AZ 85016  
Info@Ethosanalytics.io  
www.Ethosanalytics.io  
Lic #: 000026LRCD60176649  
ISO/IEC 17025 Acc #: 117798

Noel Samsum  
Laboratory Director  
9-Apr-2026

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.